



# LIFT YOUR BIKE

The innovative lift for every bike.



**BikeLift**<sup>®</sup> 



From e-mountain bikes to racing bikes –  
the Biohort BikeLift® pulls any bike  
vertically up the wall as if by itself.  
This saves space and is effortless.  
Hook in the bike, push and the BikeLift®  
will pull up any bike weighing  
up to 30 kg.




**Biohort GmbH**, PürNSTein 43, A-4120 Neufelden  
Tel.: +43 (0) 7282 / 7788 0 | E-Mail: [office@biohort.at](mailto:office@biohort.at)

# Comfortable Lift Function for Every Bike




Play Video




## Hook in

Simply hook the front wheel into the BikeLift®. The hook fits all tyre widths up to 77 mm.



## Push

A short downwards push on the handlebars is enough to activate the automatic lift function.



## Lift

Thanks to its strong spring force, the BikeLift® pulls every bike up to a weight of 30 kg upwards as if by itself.



## Save space

Securely fixed and lockable, the bike hangs vertically on the wall to save space.

# The BikeLift® Advantages



space-saving  
installation



suitable for tyre  
widths of up to  
77 mm/3 inch



very easy  
to operate



high-quality  
processing and  
maintenance free



lift function for  
bikes weighing  
up to 30 kg



lockable  
bike

**Check your bike:** [www.biohort.com/bikelift](http://www.biohort.com/bikelift)






# The Ideal Biohort Accessory

The Biohort BikeLift® can be mounted on the wall in the cellar, in the garage or carport in just a few easy steps. It is even easier to install in a Biohort shed - the BikeLift® is simply hooked in there as an optional accessory.

**The innovative lift is available in two variants:**



## **Standard**

The basic version is suitable for mounting on the wall and in Biohort garden sheds.




## **Swivel Mount**

The mount allows the bike to be folded sideways to the wall – ideal for small cellars.

# Quality from Austria

The Biohort BikeLift® has a highquality finish and is made of durable materials:

- powder coated aluminium
- brushed stainless steel
- glass fibre reinforced polyamide
- maintenance-free stainless steel springs
- rubberised hook, to protect the bike rim



Play Video

Technical modifications reserved.